

CERTIFICATE

of constancy of performance

1922 - CPR - 2482

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Corrugated safety metal hose assemblies for the connection of domestic appliances using gaseous fuels - Type 1, DN 12, Reaction to fire class D-s2,d2

(For list of controlled characteristics, see Annex 1 to 1922-CPR-2482 that is an inseparable part of this certificate)

placed on the market under the name or trade mark of

NOVA ISITMA SOĞUTMA SİSTEMLERİ SANAYİ VE TİCARET LİMİTED ŞİRKETİ.
FATİH MAH. EMİRHAN SK. NO:1 İÇ KAPI NO:1 SANCAKTEPE İSTANBUL, TÜRKİYE

and produced in the manufacturing plant of

NOVA ISITMA SOĞUTMA SİSTEMLERİ SANAYİ VE TİCARET LİMİTED ŞİRKETİ.
FATİH MAH. EMİRHAN SK. NO:1 İÇ KAPI NO:1 SANCAKTEPE İSTANBUL, TÜRKİYE

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14800:2007

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 20.11.2025 and will remain valid until 20.11.2026 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.



Attestation &
Certification

Manager:

Banuba



dipl. eng. Anna Vasileva

Issued:
Burgas, 20 November 2025

Ref. No. 01-00

ANNEX I TO CERTIFICATE OF CONSTANCY OF PERFORMANCE 1922-CPR-2482/ 20.11.2025, PAGE 1/1

List of the controlled characteristics, acc. to EN 14800:2007

Characteristic	Clause (s) of EN 14800:2007	Results
Reaction to fire	5.11	pass
Crushing strength	5.17	NPD
	5.19.2	
Structural strength	5.4	NPD
Longitudinal bending strength	5.14.1	NPD
	5.15	
	5.16	
Maximum load for admissible deformation	5.14.2	NPD
	5.7	NPD
5.13		
Dimensional tolerances	5.19.1	NPD
Impact resistance	5.19.2	NPD
Penetration resistance	5.18.2	NPD
Electrostatic behaviour	4.8	NPD
	5.6	
Tightness	5.3	NPD
Effectiveness	5.5.	NPD
Mechanical strength	5.7	NPD
	5.19.3	NPD
Release of dangerous substances	4.12	NPD
Permeability	5.3.1	NPD
Tightness (in case of fire)	5.12	NPD
Durability	5.10	NPD
	4.3/ 4.4/ 4.5/ 5.8 /	NPD
	5.9 / 5.12/ 5.14 /	
5.15 / 5.16 / 5.19.3		